



UNIVERSITI PUTRA MALAYSIA

**ASSESSMENT OF SRI PETALING LANDFILL TOWARDS POLLUTION IN
AN UNCONFINED AQUIFER**

ABDELATIF MOKHTAR AHMED

FSAS 2001 47

**ASSESSMENT OF SRI PETALING LANDFILL TOWARDS POLLUTION IN
AN UNCONFINED AQUIFER**

By

ABDELATIF MOKHTAR AHMED

**Thesis Submitted in Fulfilment of the Requirement for the Degree of Doctor of
Philosophy in the Faculty of Science and Environmental Studies
Universiti Putra Malaysia**

January 2001

DEDICATED TO

MY PARENTS, SISTERS AND BROTHERS

AND

TO MY WIFE (AMANI), DAUGHTER (ALA) AND SON (AHMED).

**Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment
of the requirement for the degree of Doctor of Philosophy**

**ASSESSMENT OF SRI PETALING LANDFILL TOWARDS POLLUTION IN
AN UNCONFINED AQUIFER**

By

A.M. AHMED

January 2001

Chairman: Wan Nor Azmin Sulaiman, Ph.D.

Faculty: Science and Environmental Studies

An investigation on the extent of leachate from a landfill towards the surface and groundwater pollution was carried out using resistivity imaging survey. Aquifer parameters determined were porosity, hydraulic conductivity, resistivity and the associated formation factor. The aquifer type was indicated to be an unconfined. It was covered with a superficial layer of hard materials ranged in thickness between 1 and 2 m with high resistivity ranged from 87 to 1726 Ωm . The depth to the aquifer from the surface ranged between 1 and 3 m. The aquifer materials having variable resistivity values ranged between 15 and 150 Ωm , and associated porosity values ranged between 18 and 35%. The aquifer thickness ranged between 14 to 47 m. The bed rock ranged in resistivity between 48.6 and >9329 Ωm and has irregular topography, and its depth from the surface ranged from 20 to 38 m. Resistivity values of rock samples varied between 39 and 1238 Ωm , while for soil samples between 9

and 74 Ωm . The hydraulic conductivity varied between 0.8×10^{-8} and 11×10^{-8} m/sec for rock samples and between 5.2×10^{-7} and 23.1×10^{-7} m/sec for soil samples. The subsurface porosity distribution of the formation along each line of resistivity survey was also established. Within the landfill groundwater flow was estimated towards the downstream area. Leachate production was interpreted from the resistivity survey lines within the landfill. The leachate migrated following the ground water flow patterns from east to west and from north to south directions. The leachate movement towards the downstream as interpreted from resistivity survey lines was supported by the results of the groundwater chemistry. Chemical analysis of the groundwater revealed that the pH was slightly alkaline downstream (8.1) compared to acidic pH at the upstream bore hole. The Na, K, Ca, Cl concentrations and EC were statistically significant in the downstream area. These results supported the fact of inorganic pollution in the area. No sign of heavy metals pollution in the surface and groundwater. The resistivity survey was also used to interpret the TDS distribution within the landfill and in the regional area. The TDS distribution indicated high ion (up to 15435 mg/l) concentration within the landfill. These high TDS amounts verified the waste decomposition, leachate production and inorganic pollution within the landfill body. Soil exchangeable bases were significantly higher in the downstream saturated zone compared to the vadose zone. With the exception of Cd, the concentration ranges of all trace elements (Cu, Zn, Cr, Pb, and Ni) of the landfill soils were below the upper limits of baseline concentrations as published from different sources.

Abstrak tesis yang dikemukakan Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah.

**PENILAIAN TAPAK PELUPUSAN SAMPAH SRI PETALING TERHADAP
PENCEMARAN AKUIFER BEBAS**

Oleh

A.M.AHMED

Januari 2001

Pengerusi: Wan Nor Azmin Sulaiman, Ph.D

Fakulti: Sains dan Pengajian Alam Sekitar

Satu kajian telah dijalankan keatas air larut lesap dari tapak pelupusan sampah keatas air permukaan dan air bawah tanah dengan cara pengimejan resistiviti. Antara parameter akuifer yang dikaji ialah keporosan, kekonduksian hidraulik, resistiviti dan faktor formasi yang berkaitan. Daripada kajian ini didapati bahawa sistem akuifer adalah bebas. Ianya diliputi oleh satu lapisan bahan keras dengan ketebalan di antara 1 dan 2 m yang mempunyai resistiviti yang tinggi iaitu dari 87 hingga 1726 Ωm . Kedalaman dari permukaan ke akuifer tersebut adalah di antara 1 dan 3 m. Bahan akuifer tersebut mempunyai nilai resistiviti diantara 15-150 Ωm dan keporosan diantara 18 dan 35%. Tebal lapisan akuifer tersebut adalah diantara 14 hingga 47 m. Batuan dasar mempunyai nilai resistiviti antara 48.6 dan >9329 Ωm dan mempunyai topografi yang tidak seragam dan teletak pada kedalaman dari permukaan di antara 20 hingga 38 m. Nilai resistiviti bagi sample batu berbeza diantara 39 dan 1238 Ωm dan bagi tanah pula dari 9 dan 74 Ωm . Kekonduktiviti hidraulik berbeza dari 0.8×10^{-8} and 11×10^{-8} m/s untuk sam pel batu dan 5.2×10^{-7} dan 23.1×10^{-7} m/s untuk sampel tanah. Taburan keporosan sub-permukaan bagi

formasi disepanjang garis kajian resistiviti telah juga ditentukan. Didalam tapak pelupusan didapati air tanah mengalir kearah hilir kawasan tersebut. Penghasilan air larut lesap telah dikesan melalui interpretasi garis kajian resistiviti di dalam kawasan tapak pelupusan. Air larut lesap didapati mengalir mengikut corak pergerakan air tanah iaitu dari arah timur ke barat dan dari utara ke selatan. Interpretasi pergerakan air larut resap melalui garis kajian resistiviti telah dibantu dengan keputusan analisis kimia air tanah. Analisis kimia air tanah menunjukkan pH yang sedikit beralkali (8.1) di bahagian hilir berbanding dengan pH yang berasid di lubang gerundi hulu. Kepekatan Na, K, Ca dan Cl, dan EC didapati secara statistik signifikan di bahagian hilir tapak pelupusan. Keputusan ini membuktikan berlakunya penyemaran bahan tak organik di bahagian hilir. Tiada tanda-tanda yang menunjukkan sebarang pencemaran logam berat samada dalam air permukaan atau pun air bawah tanah. Kajian resistiviti juga digunakan untuk mentafsirkan taburan jumlah pepejal terlarut (TDS) dalam tapak pelupusan dan kawasan berdekatan. Bacaan pepejal terlarut yang lebih tinggi (15435 mg/l) menunjukkan kepekatan ion yang tinggi berlaku dalam tapak pelupusan itu. Ketinggian jumlah TDS yang diperolehi juga memastikan berlakunya penguraian pelupusan, penghasilan air larut lesap dan pencemaran tak organik dalam badan tapak pelupusan berkenaan. Besi tukarganti tanah di dapati tinggi di zon tepu berbanding zon pengudaraan di bahagian hilir. Kecuali Cd, kepekatan bagi elemen-elemen lain (Cu, Zn, Cr, Pb, dan Ni) di tanah tapak pelupusan adalah dibawah tahap kepekatan tertinggi garisdasar yang dibenarkan seperti yang diterbitkan dari sumber-sumber yang berlainan.

ACKNOWLEDGEMENTS

Alhamdulillah, first of all I would like to express my deep thanks and gratitude to Almighty Allah S. W. T who has given me the ability to complete this work.

The author wishes to express his deep gratitude to Dr. Wan Nor Azmin Sulaiman, the chairman of the supervisory committee for his valuable suggestions, patience, active guidance and great advice and help throughout the time of this work.

The author is also grateful to Prof. Madya Dr. Shaharin Ibrahim, Department of Physics, UPM, and member of the supervisory committee for his great help and guidance during the time of this study. The author is grateful to Dr. Puziah Abdul Latif, member of the supervisory committee for her great help and suggestions during this study. Also the author wishes to extend his deep thanks and gratitude to Dr. Mohamed Hanafi Musa, Department of Land Management, Faculty of Agriculture, UPM, for his great help and guidance throughout this work. The author also wishes to extend his deep thanks to the Director of the Geological Survey Department of Malaysia (Selangor and Federal Territory Division) for his co-operation and valuable help during this work.

I am greatly indebted to the Malaysian Technical Cooperation Program (MTCP) for their valuable help and their great financial support during part of this study.

The author is grateful to Hago Ali Hago and Ugantharan M. (M. Sc. Students) for their great help and cooperation during the course of this study. Also I am thankful to the technical staff at Physics Department especially Mr. Mohamed Shah, Mr. Razak and Mr. Rahmat and Rahman. I am greatly indebted to the technical staff at the Department of Environment, Mr. Abdul Rashid Haroon, Mr. Rahman and Ruslan (Research Assistant of Dr. Wan Norazmin). I am thankful to the technical staff at the Department of Land Management, UPM, especially to Puan Fauziah Solaiman, Mr. Abdul Rahim Uttar and Mr. Jamil Omar for their cooperation during this research work.

I am grateful and thankful to my friend Ismat Takroni (Sudanese Ph.D. Student at Universiti Malaya) for his valuable assistance in carrying out the chemical analysis at the Department of Chemistry and the Institute of Advanced Research, University of Malaya.

Great love and sincere appreciation go to my parents, brothers and sisters, my father in law and his sons and sisters for their spiritual support and help during the course of this work. Last but not the least, I am so grateful to my loving wife, Amani

Awad Hamid, lovely daughter and son, Aaia and Ahmed for their patience, love and support which help me to complete this study.

Great thanks and deep gratitudes to the Government of Sudan and University of Kordofan (El Obeid) who gave me this opportunity to pursue my higher studies and their support during this study.

I certify that an Examination Committee met on 5th January 2001 to conduct the final examination of Abdelatif Mokhtar Ahmed on his Doctor of Philosophy thesis entitled "Assessment of Sri Petaling Landfill Towards Pollution in an Unconfined Aquifer" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

Mohd. Nasir Hassan, Ph.D.
Professor Madya
Jabatan Sains Alam Sekitar
Fakulti Sains dan Pengajian Alam Sekitar
Universiti Putra Malaysia
(Chairman)


Wan Norazmin Bin Sulaiman, Ph.D
Faculty of Science and Environmental Studies
Universiti Putra Malaysia
(member)

Shaharin Bin Ibrahim, Ph.D,
Faculty of Science and Environmental Studies
Universiti Putra Malaysia
(Member)

Puziah Abdul Latif, Ph.D,
Faculty of Science and Environmental Studies
Universiti Putra Malaysia
(Member)

Mohamed Hanafi Musa, Ph.D
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

Abdul Rahim Samsudin, Ph.D,
Professor,
School of Environmental Sciences and Natural Resources,
Universiti Kebangsaan Malaysia
(Independent Examiner)


MOHD. GHAZALI MOHAYIDIN, Ph .D,
Professor/ Deputy Dean of Graduate School,
University Putra Malaysia
Date: 27 FEB 2001

This thesis submitted to the Senate of Universiti Putra Malaysia has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy.

MOHD. GHAZALI MOHAYIDIN, Ph.D.
Professor
Deputy Dean of Graduate School
Universiti Putra Malaysia

Date:

I hereby declare that the thesis is based on my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously or currently submitted for any other degree at UPM or other institutions.



ABDELATIF MOKHTAR AHMED

26.2.2001

TABLE OF CONTENTS

	Page
DEDICATION.....	ii
ABSTRACT.....	iii
ABSTRAK.....	v
ACKNOWLEDGEMENTS	vii
APPROVAL SHEETS.....	x
DECLARATION FORM.....	xii
LIST OF TABLES.....	xviii
LIST OF FIGURES.....	xxiv

CHAPTER

I	INTRODUCTION.....	1
	Statement of Problem.....	3
	Need for the Study.....	5
	Previous Work	6
	Hypothesis.....	7
	Objectives.....	8
II	LITERATURE REVIEW	9
	Solid Wastes in General.....	9
	Solid Waste Awareness.....	10
	Sources of Solid Waste and Composition.....	11
	Characteristics of Waste Generated in Kuala Lumpur (Malaysia)	12
	Management of Solid Waste.....	14
	Landfill Site Selection.....	17
	Geology and Hydrogeology of the Landfill ...	17
	Groundwater Investigation using Geophysical Surveys	18
	Resistivity of Geological Formation.....	20
	Landfill Impact.....	25
	Landfill Design, Operation and Management	27
	Hydrology of the Landfill.....	31
	Solid Waste Management in Malaysia.....	32
	Regulations of Solid Waste in Malaysia	33
	Location of Solid Waste Facilities in Malaysia	34
	Landfill Leachate and Groundwater	



	Contamination.....	35
	Leachate Production and Migration.....	35
	Leachate Quality and Chemistry.....	37
	Groundwater Importance, Storage, Contamination and Quality	42
	Groundwater Importance.....	42
	Groundwater Storage.....	43
	Groundwater Contamination.....	43
	Groundwater Quality in General.....	45
	Groundwater Quality in Malaysia.....	48
	Inorganic Pollution of the Soil.....	51
	The Behavior of Pollutants in Soil.....	52
	Sorption-Desorption of Heavy Metals.....	53
	Heavy Metals Adsorption by Soils.....	54
	Assessment of Soil Inorganic Pollution	56
III	STUDY AREA.....	59
	Location and Accessibility.....	60
	Geology.....	63
	Topography.....	70
	Vegetation.....	71
	Drainage.....	72
	Climate.....	72
	Rainfall Amount.....	73
	Temperature.....	75
	Relative Humidity.....	76
IV	MATERIALS AND METHODS.....	77
	Investigation of the Petrophysical Properties of Rocks.....	78
	Determination of Porosity of Core Rock Samples.....	79
	Determination of Hydraulic Conductivity	81
	Determination of Insitu Hydraulic Conductivity...	89
	Determination of Electrical Resistivity of Core Samples	91
	Formation Factor	94
	Resistivity Survey.....	97
	Direct Current Resistivity Method.....	97
	Basic Theory.....	97
	Field Method and Data Interpretation of 2-D Electrical Imaging Survey.....	101
	Field Survey Method.....	103
	Interpretation of Field Resistivity Data using RES2DINV Program	104

	Porosity Distribution.....	106
	Contouring of Porosity Values.....	108
	Total Dissolved Solids Distribution.....	109
	Ground and Surface Water Monitoring Study.....	113
	Sampling Points and Procedure.....	113
	Surface Water Sampling.....	116
	Analytical Methods.....	116
	Heavy Metals and Major Cations.....	116
	Major Anions.....	117
	Statistical Analysis.....	119
	Determination of Groundwater Flow and Contour Lines.....	119
	Determination of Water Quality Index	122
	Soil Study of the Landfill Area.....	124
	Infiltration Rate.....	124
	Soil Mineralogy.....	125
	Selection of Soil Auger Holes.....	126
	Field Study.....	126
	Preparation of Soil Samples.....	127
	Soil Physical Analysis.....	127
	Physical Properties of Soil Samples	128
	Soil Chemical Analysis	130
	Statistical Analysis.....	132
V	RESULTS AND DISCUSSION.....	133
	The Petrophysical Properties of Rock Formation..	133
	Porosity.....	133
	Electrical Resistivity.....	134
	Hydraulic Conductivity.....	135
	In-Situ Hydraulic Conductivity.....	137
	Resistivity Imaging Survey Within and Around the Landfill	139
	Line L-L ₁	139
	Line L-L ₂	141
	Line L-L ₃	143
	Line L-L ₄	144
	Line L-L ₅	146
	Resistivity Imaging in the Regional Study Area...	147
	Bukit Jalil Line 4.....	148
	Bukit Jalil Line 7.....	150
	Bukit Jalil Line 5.....	151
	Bukit Jalil Line 6.....	152
	Bukit Jalil Line 8.....	153
	APM Air-Conditioner Line.....	154
	Taman University Line.....	155

Line MARDI 1.....	156
Line MARDI 2.....	157
Line MARDI 3.....	158
Distribution of Porosity along Resistivity Survey	
Lines	160
Line L L ₃	160
Line L-L ₄	161
Line L-L ₅	162
Line Bukit Jalil 4.....	163
Line Bukit Jalil 7.....	164
Line Bukit Jalil 5.....	165
Line Bukit Jalil 6.....	166
Line Bukit Jalil 8.....	167
Line APM Air Conditioner.....	168
Taman University Line.....	169
Line MARDI 1.....	170
Line MARDI 2.....	171
Line MARDI 3.....	172
Aquifer Characteristics of the Study Area.....	173
Ground and Surface Water Monitoring Program...	175
In-situ Parameters	176
Laboratory Analysis	180
The Status of Groundwater and Surface Water	
Pollution.....	188
Groundwater Chemistry of the Regional Area in	
Comparison with the Landfill	190
Determination of Surface Water Quality Indices ..	191
Total Dissolved Solids Distribution along	
Resistivity Survey Lines	193
Removal of the Matrix Conductance	194
The TDS Distribution within the Landfill	195
Line L L ₁	195
Line L-L ₂	196
Line L-L ₃	197
Line L-L ₄	198
Line L-L ₅	199
Total Dissolved Solids Distribution in the	
Regional Area	203
The TDS Distribution around Mint Hotel	
Area	203
The TDS Distribution in MARDI and	
Serdang Area	207
Soil Characteristics of the Study Area	214
Infiltration Rate	214
Soil Mineralogy	216

	Particle Size Distribution	219
	Soil Physical Properties	220
	Porosity	220
	Electrical Resistivity	221
	Hydraulic Conductivity	223
	Chemical Characteristics of the Soil Vadose Zone (Unsaturated Zone)	224
	Soil pH, N, and Available Phosphorous	224
	Exchangeable Bases	225
	Soil Inorganic Pollutants	228
	Soil Parameters in the Soil Saturated Zone	234
	pH and Exchangeable Bases.....	234
	Soil Inorganic Pollutants.....	235
	Soil Parameters in the Vadose Zone and Saturated Zone of the Downstream Area.....	236
	Comparison of Trace Elements in Soil with Data from Different Sources.....	238
VI	Conclusion	242
	Future Studies.....	247
BIBLIOGRAPHY.....		248
APPENDICES		266
A	Meteorological Data of Petaling Jaya Station.....	267
B	Petrophysical Properties of Rock and Soil Samples.....	274
C	Bore Holes Geological Logging and	282
D	Interpretation of Resistivity Data with the Aid of Computer.....	284
E	Original Data of Soil Chemical Analysis in the Different Auger Holes.....	290
F	X-Ray Figures.....	294
G	Water and Soil Quality Criteria.....	299
H	Basic Data of Ground and Surface Water Hydrochemistry.....	303
I	3-D View of TDS distribution in the landfill and regional area	309
J	Some Sights from the landfill.....	311
	Sketch map of the landfill location	312
BIODATA		313

LIST OF TABLES

Table		Page
1	Comparison of waste characteristics from different countries (as % waste arisings)	12
2	Generation of solid waste in Kuala Lumpur from the historical perspectives.....	12
3	Sources of solid wastes in Kuala Lumpur.....	13
4	Characteristics and composition of solid waste generated in Kuala Lumpur.....	14
5	Municipal waste produced per capita in different countries.....	16
6	Resistivity of some common rocks, soil materials and rock types below water table	21
7	Infiltration pond water balance results	30
8	Results from Swiss-leachate evaporation plant.....	30
9	Annual precipitation (P) and the sum of evaporation and accumulation of water in landfills and basins (mm).....	31
10	Solid waste in some towns in Malaysia.....	34
11	Typical composition of leachates from domestic wastes at various stages of decomposition.....	39
12	Chemical composition of Montech landfill leachate.....	40
13	Volney landfill leachate analysis collected from sump near eastern boundary.....	41
14	Leachate chemical characteristics of Blackwell landfill, Illinois, USA.....	41
15	Range of values of chemical parameters from Moro area,	

	Nigeria, and WHO guidelines for drinking water.....	46
16	Modified Wilcox classification of irrigated waters.....	47
17	Mean concentration of major ions and trace metals, USA (Morrison and Yu, 1981).....	48
18	Landfills location in Malaysia.....	49
19	Chemical parameters at some landfills in Malaysia (1995-97).....	50
20	The USEPA standards for groundwater quality (Perunding, 1997).....	51
21	Conversion of electrical resistivity values into porosity values	108
22	Conversion of electrical conductivity values into TDS....	112
23	Analytical methods adopted for groundwater and surface Water analysis.....	118
24	Location of clay samples for X-Ray Analysis	125
25	Rate of rise of water level for the upstream bore hole of the landfill	137
26	Electrical resistivity of earth materials	139
27	Measurements of in-situ parameters in the groundwater and surface water	176
28	Concentration of major cations in the groundwater and surface water at Sri Petaling landfill	180
29	Concentration of major anions and TDS in the groundwater and surface water at Sri Petaling landfill	184
30	Concentrations of heavy metals in the groundwater and surface water	187
31	Groundwater and surface water quality at Sri Petaling landfill	189

32	Raw data for calculation of surface water quality indices.	192
33	Contour values of total dissolved solids distribution along resistivity survey lines	195
34	Intensity in scale for clay minerals	217
35	Intensity in % for clay minerals	217
36	Mineralogical composition of Mg-saturated samples using X-Ray Method	218
37	Particle size distribution of soil samples from all auger holes in the study area	220
38	Distribution of pH, available P and nitrogen in soil profiles at the three sites.....	225
39	Distribution of exchangeable bases in soil depths of the landfill sites	226
40	Criteria for classification of pollution by heavy metals in soil	230
41	Distribution of Cu, Pb and Zn in soil depths at the three sites	231
42	Distribution of Ni, Cr and Cd in soil depths at the three sites	233
43	Soil analysis results (Mean \pm Standard Deviation)) in the soil saturated zone	235
44	Soil parameter (Mean \pm Standard Deviation.) in the vadose and saturated zones of the downstream area	236
45	Concentration of trace elements in Sri Petaling soils (mg/kg soil) with comparison data from different Sources	239
46	Concentration ranges of Sri Petaling landfill soils compared with published baseline concentrations in soils from different sources (mg/kg soil)	241

47	Records of monthly rainfall amount.....	267
48	Records of mean maximum temperature ($^{\circ}\text{C}$).....	268
49	Records of mean min. temperature.....	269
50	Records of mean daily evaporation (mm).....	270
51	Records of Mean Maximum Relative Humidity (%).....	271
52	Records of number of rain days.....	272
53	Records of rainfall, temperature and relative humidity of Petaling Jaya station during the sampling period	273
54	Calculations of porosity ' ϕ ' for rock samples.....	274
55	Calculations of porosity " ϕ " for soil samples	275
56	Variation of formation factor against porosity of rock samples.....	276
57	Variation of formation factor against porosity of soil samples.....	277
58	Variation of formation factor against porosity of rock and soil samples.....	277
59	Calculations of hydraulic conductivity " K " for rock samples.....	279
60	Calculations of hydraulic conductivity " K " for soil samples.....	279
61	Variation of formation factor against hydraulic conductivity K , of rock samples.....	280
62	Variation of formation factor against hydraulic conductivity of soil samples.....	281
63	Examples of maximum allowable concentrations of selected water quality variables for drinking water.....	299
64	Guideline and maximum acceptable concentrations for	

	metal and other inorganic pollutants in water for human consumption.....	299
65	Target and intervention values for soil (mg/kg) and groundwater (mg/l).....	300
66	Micronutrient content of soils developed over igneous and high metamorphic rocks.....	300
67	Selected data from the interim Canadian environmental quality criteria for contaminated sites.....	301
68	Environmental soil quality guidelines (mg/kg).....	301
69	Average metal concentrations (ug/g) in Kuala Lumpur soils and streetdust.....	302
70	Probable background levels and typical concentrations of some heavy metals in soils.....	302
71	Temperature measurements (⁰ C) of the groundwater and surface water over the sampling period.....	303
72	pH Measurements (standard units) of the groundwater and surface water over the sampling period.....	303
73	Electrical conductivity measurements (mS/cm) of the groundwater and surface water over the sampling period..	303
74	Dissolved oxygen measurements (mg/l) of the groundwater and surface water over the sampling period..	303
75	Concentration of Na, (mg/l) in the groundwater and surface water over the sampling period.....	304
76	Concentration of K, (mg/l) in the groundwater and surface water over the sampling period.....	304
77	Concentration of Ca, (mg/l) in the groundwater and surface water over the sampling period.....	304
78	Concentration of Mg, (mg/l) in the groundwater and surface water over the sampling period.....	304
79	Concentration of Cl, (mg/l) in the groundwater and	

	surface water over the sampling period.....	304
80	Concentration of SO ₄ (mg/l) in the groundwater and surface water over the sampling period.....	305
81	Concentration of NO ₃ , (mg/l) in the groundwater and surface water over the sampling period.....	305
82	Concentration of NO ₂ , (mg/l) in the groundwater and surface water over the sampling period.....	305
83	Concentration of F, (mg/l) in the groundwater and surface water over the sampling period.....	305
84a	Concentration of PO ₄ , (mg/l) in the groundwater and surface water over the sampling period.....	305
84b	Concentration of TDS, (mg/l) in the groundwater and surface water over the sampling period	306
85	Concentration of Fe, (mg/l) in the groundwater and surface water over the sampling period.....	306
86	Concentration of Pb, (mg/l) in the groundwater and surface water over the sampling period.....	306
87	Concentration of Zn, (mg/l) in the groundwater and surface water over the sampling period.....	306
88	Concentration of Cu, (mg/l) in the ground and surface water over the sampling period.....	306
89	Concentration of Cr, (mg/l) in the groundwater and surface water over the sampling period.....	307
90	Basic data of soil parameters in the saturated zone.....	307
91	Groundwater chemistry of bore holes in Serdang area.....	307

LIST OF FIGURES

Figure		Page
1	Main landfill stages	17
2	The common arrays used in resistivity surveys	24
3	Impact of the landfill on the environment	26
4	Location map of the regional study area	61
5	Detailed study area of Sri Petaling landfill	62
6a	Water sampling and measuring of bore holes	64
6b	Drilling and sampling of soil auger holes	64
7a	Geological setting of the regional area	67
7b	Diagrammatic cross-section A-B across the regional area	68
8	Diagrammatic section of lithological bore holes correlation within the landfill	69
9a	Average annual rainfall amount at the landfill	74
9b	Average monthly rainfall amount for the year 1998 at the landfill	74
10	Vertical cross section of groundwater flow with linear, parallel stream lines	83
11	An example of variation of $\log_{10} h_1$ as a function of time	87
12	Falling-head Permeameter for measuring hydraulic conductivity of core rock samples	88
13	Geometry and symbols of partially penetrating, partially perforated well in unconfined aquifer with	